Sandhill
Environmental
Services, LLC

650 North Wayne Street
Waterloo, IN 46793
260-408-5221
www.sandhillenviro.com

November 25, 2020

Matt Minnick
Lake George Conservancy
1042 S Angola Rd
Coldwater, MI 49036

RE: Water Testing

Dear Matt,

Sandhill Environmental Services, LLC collected water samples for the analyses presented in the following report.

In accordance with your instructions, Sandhill conducted the analysis shown on the following pages on the samples submitted. Unless otherwise noted, all analysis was conducted using approved methodologies from the EPA, Standard Methods, or other client-specified methods. All relevant sampling information is on the attached chain-of-custody form. Any sub-contracted test results will be at the end of this report.

Certifications/Accreditation: IN# C-76-01 IN# M-76-09

This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Natalie McGill

Natalie McGill
Laboratory Director

CHAIN OF CUSTODY RECORD

Sandhill Environmental Services, LLC.
650 North Wayne St.
Waterloo, IN 46793
260-408-5221

Turn Time:
☐ Standard
☐ Rush- Report by Date: _____
Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:
DW-Drinking Water
WW-Wastewater
STW- Stormwater
SW- Surface water

	Client Information	Billing Information (if different)	PO Number:
Company Name:	Lake George Conservancy		Project Name/Number:
Contact Name:	Matt Minnick		
Address:	1042 S Angola Rd.		Sampler's Signature:
City, State, Zip:	Coldwater, MI 49036		Laboratory Number(s): 41912
Phone:	(563) 613-3165		
Fax:			Preferred Method of Correspondence:
E-mail:	mattandjulieminnick@gmail.com		E-mail Fax Mail

	Collection Information				Container			Requested Test								Comments
Sample ID/Location Description	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	PCB	TPH GRO/ ERO							
Swift Corner	11.16.20	10:16	G	SW	5	g/v	U	X	X							Lake George Inlet PCB bottle broke in transit
Lake George Inlet	↓	10:30	G	SW	5	g/v	U	~~X~~	X							

Relinquished By	Date/Time	Received By	Date/Time
	11/16/2020, 1255		11/16/2020, 1255

Temp. upon Receipt: 5.9 °C
Or
< 2hrs old

Preservation Code:
N = HNO_3 / Nitric Acid
U = Unpreserved, Cooled to 4°C
S = H_2SO_4 / Sulfuric Acid
OH = NaOH / Sodium Hydroxide
H = HCl / Hydrochloric Acid
SO = $Na_2S_2O_3$ / Sodium Thiosulfate

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Ms. Natalie McGill
Sandhill Environmental Services, LLC
650 N Wayne St.
Waterloo, IN 46793

November 25, 2020

ENVision Project Number: 2020-2342
Client Project Name: Lake George Conservancy

Dear Ms. McGill,

Please find the attached analytical report for the samples received November 17, 2020. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. ENVision Laboratories looks forward to working with you on your next project.

Yours Sincerely,

David Norris

Client Services Manager
ENVision Laboratories, Inc.

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

ENVISION

Analytical Report

Client Name: SANDHILL ENVIRONMENTAL SERVICES

Project ID: LAKE GEORGE CONSERVANCY

Client Project Manager: NATALIE MCGILL

ENVision Project Number: 2020-2342

Analytical Method: EPA 8015 GRO
Prep Method: EPA 5030B
Analytical Batch: 112320GW

Client Sample ID: SWIFT CORNER
Envision Sample Number: 20-15953
Sample Matrix: water

Sample Collection Date/Time: 11/16/20 10:16
Sample Received Date/Time: 11/17/20 10:25

Compounds	Sample Results (ug/L)	Reporting Limit (ug/L)	Flags
TPH-Gasoline	< 220	220	
4-bromofluorobenzene (surrogate)	104%		
Analysis Date/Time:	11-23-20/13:25		
Analyst Initials	tjg		

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SANDHILL ENVIRONMENTAL SERVICES

Project ID: LAKE GEORGE CONSERVANCY

Client Project Manager: NATALIE MCGILL

ENVision Project Number: 2020-2342

Analytical Method: EPA 8015M TPH-Ext C8-C36
Prep Method: EPA 3520C
Analytical Batch: 112320DW

Client Sample ID: SWIFT CORNER
Envision Sample Number: 20-15953
Sample Matrix: water

Sample Collection Date/Time: 11/16/20 10:16
Sample Received Date/Time: 11/17/20 10:25

Compounds	Sample Results (ug/L)	Reporting Limit (ug/L)	Flags
TPH--Extended C8-C36	< 100	100	
o-Terphenyl (surrogate)	92%		
Analysis Date/Time:	11-23-20/15:44		
Analyst Initials:	ajg		
Date Extracted:	11/20/2020		
Initial Sample Volume:	1000ml		
Final Volume:	1.0 mL		

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SANDHILL ENVIRONMENTAL SERVICES

Project ID: LAKE GEORGE CONSERVANCY

Client Project Manager: NATALIE MCGILL

ENVision Project Number: 2020-2342

Analytical Method: EPA 8015 GRO
Prep Method: EPA 5030B
Analytical Batch: 112320GW

Client Sample ID: LAKE GEORGE INLET **Sample Collection Date/Time:** 11/16/20 10:30
Envision Sample Number: 20-15954 **Sample Received Date/Time:** 11/17/20 10:25
Sample Matrix: water

Compounds	Sample Results (ug/L)	Reporting Limit (ug/L)	Flags
TPH-Gasoline	< 220	220	
4-bromofluorobenzene (surrogate)	103%		
Analysis Date/Time:	11-23-20/13:44		
Analyst Initials	tjg		

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SANDHILL ENVIRONMENTAL SERVICES

Project ID: LAKE GEORGE CONSERVANCY

Client Project Manager: NATALIE MCGILL

ENVision Project Number: 2020-2342

Analytical Method: EPA 8015M TPH-Ext C8-C36
Prep Method: EPA 3520C
Analytical Batch: 112020DW

Client Sample ID: LAKE GEORGE INLET
Envision Sample Number: 20-15954
Sample Matrix: water

Sample Collection Date/Time: 11/16/20 10:30
Sample Received Date/Time: 11/17/20 10:25

Compounds	Sample Results (ug/L)	Reporting Limit (ug/L)	Flags
TPH--Extended C8-C36	< 100	100	
o-Terphenyl (surrogate)	89%		
Analysis Date/Time:	11-23-20/16:12		
Analyst Initials:	ajg		
Date Extracted:	11/20/2020		
Initial Sample Volume:	1000ml		
Final Volume:	1.0 mL		

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

November 24, 2020

Mr. David Norris
ENVISION LABORATORIES, INC.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239

Project ID: 2020-2342
First Environmental File ID: 20-6605
Date Received: November 19, 2020

Dear Mr. David Norris:

The above referenced project was analyzed as directed on the enclosed chain of custody record.

All Quality Control criteria as outlined in the methods and current IL ELAP/NELAP have been met unless otherwise noted. QA/QC documentation and raw data will remain on file for future reference. Our accreditation number is 100292 and our current certificate is number 1002922020-7: effective 06/24/2020 through 02/28/2021.

I thank you for the opportunity to be of service to you and look forward to working with you again in the future. Should you have any questions regarding any of the enclosed analytical data or need additional information, please contact me at (630) 778-1200.

Sincerely,

Joy Geraci
Project Manager

First
Environmental
Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Case Narrative

ENVISION LABORATORIES, INC.

Lab File ID: **20-6605**

Project ID: **2020-2342**

Date Received: **November 19, 2020**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

The results in this report apply to the samples in the following table:

Laboratory Sample ID	Client Sample Identifier	Date/Time Collected
20-6605-001	20-15953/Swift Corner	11/16/2020 11:16

Sample Batch Comments:

Sample acceptance criteria were met.

First
Environmental
Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Case Narrative

ENVISION LABORATORIES, INC.

Lab File ID: **20-6605**

Project ID: **2020-2342**

Date Received: **November 19, 2020**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

The following is a definition of flags that may be used in this report:

Flag	Description	Flag	Description
A	Method holding time is 15 minutes from collection. Lab analysis was performed as soon as possible.		
B	Analyte was found in the method blank.	L	LCS recovery outside control limits.
<	Analyte not detected at or above the reporting limit.	M	MS recovery outside control limits; LCS acceptable.
C	Sample received in an improper container for this test.	P	Chemical preservation pH adjusted in lab.
D	Surrogates diluted out; recovery not available.	Q	Result was determined by a GC/MS database search.
E	Estimated result; concentration exceeds calibration range.	S	Analysis was subcontracted to another laboratory.
G	Surrogate recovery outside control limits.	T	Result is less than three times the MDL value.
H	Analysis or extraction holding time exceeded.	W	Reporting limit elevated due to sample matrix.
J	Estimated result; concentration is less than routine RL but greater than MDL.	N	Analyte is not part of our NELAC accreditation or accreditation may not be available for this parameter.
RL	Routine Reporting Limit (Lowest amount that can be detected when routine weights/volumes are used without dilution.)	ND	Analyte was not detected using a library search routine; No calibration standard was analyzed.

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: ENVISION LABORATORIES, INC.
Project ID: 2020-2342
Sample ID: 20-15953/Swift Corner
Sample No: 20-6605-001

Date Collected: 11/16/20
Time Collected: 11:16
Date Received: 11/19/20
Date Reported: 11/24/20

Analyte	Result	R.L.	Units	Flags
Polychlorinated biphenyls (PCBs) **Method: 8082**		**Preparation Method 3510C**		
Analysis Date: 11/23/20		Preparation Date: 11/23/20		
Aroclor 1016	< 0.20	0.20	ug/L	
Aroclor 1221	< 0.04	0.04	ug/L	
Aroclor 1232	< 0.04	0.04	ug/L	
Aroclor 1242	< 0.06	0.06	ug/L	
Aroclor 1248	< 0.06	0.06	ug/L	
Aroclor 1254	< 0.06	0.06	ug/L	
Aroclor 1260	< 0.06	0.06	ug/L	

Sample QC Summary: ***Surrogate Recovery***

Method	*Analyte*	*QC Result*	*%R Limits Low*	*High*
8082	*Decachlorobiphenyl (Surr)*	*%R: 106.6*	*24*	*131*
8082	*Tetrachloro-m-xylene (Surr)*	*%R: 102.9*	*51*	*120*

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Quality Control Summary

Client: ENVISION LABORATORIES, INC. **Lab File ID:** 20-6605

Project ID: 2020-2342

QC Lab#	Time QC Code	Parameter	Reported Result	Units	QC Result	%R Limits Low High	RPD Limit
Parameter:	Polychlorinated biphenyls (PCBs)	**Analytical Method:**	8082		**Analytical WS #:** 202032	**Analysis Date:**	11/23/202
		Prep Method:	3510C		**Prep WS#:** 33318	**Prep Date:**	11/23/2020
LCS62241	LCS	4,4'-DDT	17.8	ug/L	%R: 89	34 - 150	
	LCS	Aldrin	6.64	ug/L	%R: 83	70 - 116	
	LCS	Dieldrin	18.6	ug/L	%R: 93.1	69 - 145	
	LCS	Endrin	18.0	ug/L	%R: 90.2	51 - 147	
	LCS	gamma-BHC (Lindane)	8.54	ug/L	%R: 106.7	74 - 127	
	LCS	Heptachlor	8.45	ug/L	%R: 105.6	65 - 111	
LCS62244	LCS	Aroclor 1016	448	ug/L	%R: 71.8	66 - 114	
	LCS	Aroclor 1260	422	ug/L	%R: 67.5	57 - 127	
LCSD62240	LCSD	4,4'-DDT	15.8	ug/L	%R: 79	34 - 150	
	LCSD	Aldrin	5.77	ug/L	%R: 72.1	70 - 116	
	LCSD	Dieldrin	15.1	ug/L	%R: 75.7	69 - 145	
	LCSD	Endrin	14.5	ug/L	%R: 72.5	51 - 147	
	LCSD	gamma-BHC (Lindane)	7.02	ug/L	%R: 87.8	74 - 127	
	LCSD	Heptachlor	7.43	ug/L	%R: 92.8	65 - 111	
LCSD62243	LCSD	Aroclor 1016	191	ug/L	%R: 76.3	66 - 114	
	LCSD	Aroclor 1260	162	ug/L	%R: 64.8	57 - 127	
Method Blank6224	BLK	4,4'-DDD	< 0.10	ug/L	0	-	

* The QC indicator is outside control limits. %R = percent recovery; RPD = Relative percent difference
CB = Calibration Blank; CCVS = Continuing Calibration Verification Standard; MS = Matrix Spike;
MSD = Matrix Spike Duplicate; LCS = Laboratory Control Spike; SURR = Surrogate Spiking Compound;
PB = Procedure Blank; BLK = Method Blank; D = QCI diluted out.

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Client: ENVISION LABORATORIES, INC. **Lab File ID:** 20-6605

Project ID: 2020-2342

QC Lab#	Time QC Code	Parameter	Reported Result	Units	QC Result	%R Limits Low	%R Limits High	RPD Limit
Method Blank6224	BLK	4,4'-DDE	< 0.10	ug/L	0	-		
	BLK	4,4'-DDT	< 0.10	ug/L	0	-		
	BLK	Aldrin	< 0.05	ug/L	0	-		
	BLK	alpha-BHC	< 0.05	ug/L	0	-		
	BLK	alpha-Chlordane	< 0.50	ug/L	0	-		
	BLK	Aroclor 1016	< 0.50	ug/L	0	-		
	BLK	Aroclor 1221	< 0.50	ug/L	0	-		
	BLK	Aroclor 1232	< 0.50	ug/L	0	-		
	BLK	Aroclor 1242	< 0.50	ug/L	0	-		
	BLK	Aroclor 1248	< 0.50	ug/L	0	-		
	BLK	Aroclor 1254	< 0.50	ug/L	0	-		
	BLK	Aroclor 1260	< 0.50	ug/L	0	-		
	BLK	beta-BHC	< 0.05	ug/L	0	-		
	BLK	Chlordane (technical)	< 0.50	ug/L	0	-		
	BLK	delta-BHC	< 0.05	ug/L	0	-		
	BLK	Dieldrin	< 0.10	ug/L	0	-		
	BLK	Endosulfan I	< 0.05	ug/L	0	-		
	BLK	Endosulfan II	< 0.10	ug/L	0	-		
	BLK	Endosulfan sulfate	< 0.10	ug/L	0	-		
	BLK	Endrin	< 0.10	ug/L	0	-		

* The QC indicator is outside control limits. %R = percent recovery; RPD = Relative percent difference
CB = Calibration Blank; CCVS = Continuing Calibration Verification Standard; MS = Matrix Spike;
MSD = Matrix Spike Duplicate; LCS = Laboratory Control Spike; SURR = Surrogate Spiking Compound;
PB = Procedure Blank; BLK = Method Blank; D = QCI diluted out.

First Environmental Laboratories, Inc.
IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Client: ENVISION LABORATORIES, INC. **Lab File ID:** 20-6605

Project ID: 2020-2342

QC Lab#	Time QC Code	Parameter	Reported Result	Units	QC Result	%R Limits Low	%R Limits High	RPD Limit
Method Blank6224	BLK	Endrin aldehyde	< 0.10	ug/L	0	-		
	BLK	Endrin ketone	< 0.10	ug/L	0	-		
	BLK	gamma-BHC (Lindane)	< 0.05	ug/L	0	-		
	BLK	gamma-Chlordane	< 0.50	ug/L	0	-		
	BLK	Heptachlor	< 0.05	ug/L	0	-		
	BLK	Heptachlor epoxide	< 0.05	ug/L	0	-		
	BLK	Methoxychlor	< 0.50	ug/L	0	-		
	BLK	Toxaphene	< 1.0	ug/L	0	-		

* The QC indicator is outside control limits. %R = percent recovery; RPD = Relative percent difference
CB = Calibration Blank; CCVS = Continuing Calibration Verification Standard; MS = Matrix Spike;
MSD = Matrix Spike Duplicate; LCS = Laboratory Control Spike; SURR = Surrogate Spiking Compound;
PB = Procedure Blank; BLK = Method Blank; D = QCI diluted out.

1st

ENVision Proj#: 2020-2342 Page 1 of 1

CHAIN OF CUSTODY RECORD

ENVision Laboratories, Inc. | 1439 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-8632 | Fax: (317) 351-8639

Client: ENVision labs	Invoice Address: See Above
Report Address: See Above	Project Name: 2020-2342
Report To: David Norris	Lab Contact:
Phone: See Above	Sampled by:
Fax:	P.O. Number:
Desired TAT: (Please Circle One) 1-day 2-day 3-day Std (5-7 bus. days)	QA/QC Required: (circle if applicable) Level III Level IV

REQUESTED PARAMETERS

RCRA Limits

Please indicate number of containers per preservative below

Sample Integrity:

Cooler Temp: 2.3 °C (Circle)
Samples on Ice? (Yes) No
Samples Intact? Yes No
Custody Seal: Yes No
ENVision provided bottles: Yes No
VOC vials free of head-space: Yes No N/A
pH checked? Yes No N/A
Method 5035 collection used? Yes No
5035 samples received within 48 hr of Collection? Yes No

Sample ID	Coll. Date	Coll. Time	Comp (C) Grab (G)	Matrix	RCRA Limits	HCl	HNO_3	H_2SO_4	NaOH	Other	None	ENVision Sample ID
20-15953 Swift Corner	11/14/20	1116	G	WT	X						1	20-16605-001

Comments:

Relinquished by:	Date	Time	Received by:	Date	Time
K Dauelton	11.17.20	10:30		11/19/20	1200

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

EPA 8015 TPH-Gasoline Quality Control Data

ENVision Batch Number: 112320GW

Method Blank (MB):	MB Results (mg/L)	Reporting Limit (mg/L)	Flag
TPH-Gasoline	< 0.22	0.22	
4-bromofluorobenzene (surrogate)	102%		
Analysis Date/Time:	11-23-20/13:06		
Analyst Initials:	gjd		

Laboratory Control Standard (LCS):	LCS Results (mg/L)	LCS Conc (mg/L)	% Rec	Flag
TPH-Gasoline	10.34	10	103%	
4-bromofluorobenzene (surrogate)	103%			
Analysis Date/Time:	11-23-20/12:46			
Analyst Initials:	gjd			

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

EPA 8015 TPH-Extended Range Quality Control Data

ENVision Batch Number: 112020DW1

Method Blank (MB):	MB Results (ug/L)	Reporting Limit (ug/L)	Flag
TPH-Extended Range	< 100	100	
o-Terphenyl (surrogate)	90%		
Analysis Date/Time:	11-23-20/14:20		
Analyst Initials:	ajg		
Date Extracted:	11/20/2020		
Initial Sample Volume:	1000 mL		
Final Volume:	1.0 mL		

LCS/LCSD:	LCS Result (ug/L)	LCS/LCSD Conc. (ug/L)	LCSD Result (ug/L)	LCS Rec.	LCSD Rec.	RPD	Flag
TPH-Extended Range	1027	1000	1066	103%	107%	3.7%	
o-Terphenyl (surrogate)	120%		114%				
Analysis Date/Time:	11-23-20/14:48		11-23-20/15:16				
Analyst Initials:	ajg		ajg				
Date Extracted:	11/20/2020		11/20/2020				
Initial Sample Volume:	1000 mL		1000 mL				
Final Volume:	1.0 mL		1.0 mL				

ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Flag Number	Comments

ENVision Project #:_____ Page____of____

2020-2342

CHAIN OF CUSTODY RECORD

ENVision Laboratories, Inc. [1439 Sadlier Circle West Drive, Indianapolis, IN 46239] Phone: 317-351-8632 Fax: 317-351-8639

Client: Sandhill Enviro. Services	Invoice Address: same
Report Address: **650 North Wayne St.** Waterloo, IN 46793	Project Name: Lake George Conservancy
Report To: Natalie McGill	Lab contact:
Phone: 260-408-5221	Sampler: WA
e-mail: nmcgill@sandhillenviro.com	P.O. #:
Desired TAT: (Please Circle one) **1-2 day 3-6 day (Std (7 bus. Days)**	QA/QC Required: (Circle One) **Level II Level III Level IV**

REQUESTED PARAMETERS

Sample Integrity:
Cooler Temp: 3 °C
Samples on ice? (Yes) No
Samples Intact? (Yes) No
Custody Seal? Yes (No)
ENVision provided bottles? (Yes) No
Vials free of head space? (Yes) No N/A
pH Checked? (Yes) No N/A
Method 5035 collection used? YES NO
5035 samples received within 48rhs of collection? Yes No

Sample ID	Coll. Date	Coll. Time	Comp (C) Grab (G)	Matrix	PCB	TPH-GRO	TPH-ERO				HCl	HNO3	H2SO4	NaOH	Other	None	ENVision Sample ID
Swift Corner	11-16-20	10:16	G	SW	X	X	X									X	20-15953
Lake George Inlet	↓	10:30	G	SW	~~X~~ Bottle	X	X									X	20-15954

COMMENTS:

RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
[signature]	11/16		[signature]	11-17-20	10:25